

Australia and New Zealand Certificate of Conformity/Approval-addendum

Certificate
ULL-103232 -A3

Issue date
2025-10-30

Expiration date
2030-07-07



www.jasanz.org/register

This is to acknowledge that

SCHNEIDER ELECTRIC AUSTRALIA PTY LTD

33-37 PORT WAKEFIELD RD, GEPPS CROSS, South Australia 5094
Australia

has had

Switches (Wiser Iconic Push Button Switch with Control Link)

[refer following page(s) for models list]

evaluated and meets the requirements of the standard(s)

AS 60669.2.1:2020; AS/NZS 60669.1:2020, Amd 1:2022

Certificate of Conformity issued under Queensland Government's
Recognised External Certification Scheme (RECS)
Certificate of Approval issued under NSW Government's Recognised
External Approval Scheme (REAS)
ANZ Certification Scheme requirements.

Stuart Foster (Certification Officer)

Certification Body:
UL International New Zealand Limited,
54 Tarndale Grove, Albany, Auckland 0632, New Zealand.

Issued for use in Australia and New Zealand only.
All dates are in Year-Month-Day format (YYYY-MM-DD).

Australia and New Zealand Certificate of Conformity/Approval-addendum

Certificate No: ULL-103232 -A3
Original Date of Certification: 2024-02-07
Date of Issue/Revision: 2025-10-30

Trade Name or Trademark: CLIPSAL, PDL

Risk Class / NSW Declared Class: LEVEL 3 - Wall Switch : Electronic

IEC Standard Country Differences: AU and NZ

Certification Marking: The RCM mark must be applied to the product and all the requirements of all relevant parts of AS/NZS 4417 applicable to the article shall be fulfilled

The product approval mark ULL-103232-EA shall be placed on declared articles offered for sale in New South Wales and New Zealand

Additional Certification Conditions: None.

Model Details:

Model Name
41E10PBSWM
41E10PBSWMZ
41E10PBSWZ-VW
56PB10T
56PB10TLE
PDL356PB10MBTW
PDL356PB10MBTZ
PDL356PB10WZ-VW
PDL56PB10T
PDL56PB10TLE

Additional Information:

Rating Information (all models):
220-240 Vac, 50 Hz, 15 A, 10 AX.
Resistive: 15 A.
Motor: 10 A.
Inductive: 6 A.
Incandescent lamps loads: 10 A.
Fluorescent lamps loads: 10 A.
Electronic step-down converters for extra-low-voltage incandescent lamps: 10 A.
Self-ballasted lamps (LEDi): 10 A.

Details of addendum:

Commercial reference updated for following models :

- Model 41E10PBSWZ-VW added as alternate reference for 41E10PBSWMZ.
- Model PDL356PB10WZ-VW added as alternative reference for PDL356PB10MBTW.

The certified product is the combination of the switch unit and compatible parts (Iconic grid/cover, Iconic mount box, Solis adaptor/grid).

Solis Switch adaptors models:

- 40PWSA-ZB Push button switch adaptor with a black plastic actuator.
- 40PWSA-ZW Push button switch adaptor with a white plastic actuator.
- 40PWSA-WC Push button switch adaptor with a white ceramic actuator.
- 40PWSA-EA Push button switch adaptor with an ebony-coloured aluminium actuator.
- 40PWSA-PT Push button switch adaptor with a platinum-coloured aluminium actuator.

Australia and New Zealand Certificate of Conformity/Approval-addendum

Certificate No: ULL-103232 -A3

Original Date of Certification: 2024-02-07

Date of Issue/Revision: 2025-10-30

40PWSA-LB	Push button switch adaptor with a living brass actuator.
40TWSA-WC	Toggle switch adaptor with a white ceramic actuator.
40TWSA-EA	Toggle switch adaptor with an ebony-coloured aluminium actuator.
40TWSA-PT	Toggle switch adaptor with a platinum-coloured aluminium actuator.
40TWSA-LB	Toggle switch adaptor with a living brass actuator.

Solis Grid plate with cover Models:

1041PUA-ZB	1 gang push button switch grid plate with a black plastic cover.
1041PUA-ZW	Identical to 1041PUA-ZB but with a white plastic cover.
1041TUA-WC	1 gang toggle switch grid plate with a white ceramic cover.
1041TUA-EA	Identical to 1041TUA-WC but with an ebony-coloured aluminium cover.
1041TUA-PT	Identical to 1041TUA-WC but with a platinum-coloured aluminium cover.
1041TUA-LB	Identical to 1041TUA-WC but with a living brass aluminium cover.
1042PUA-ZB	2 gang push button switch grid plate with a black plastic cover.
1042PUA-ZW	Identical to 1042PUA-ZB but with a white plastic cover.
1042TUA-WC	2 gang toggle switch grid plate with a white ceramic cover.
1042TUA-EA	Identical to 1042TUA-WC but with an ebony-coloured aluminium cover.
1042TUA-PT	Identical to 1042TUA-WC but with a platinum-coloured aluminium cover.
1042TUA-LB	Identical to 1042TUA-WC but with a living brass aluminium cover.
1043PUA-ZB	3 gang push button switch grid plate with a black plastic cover.
1043PUA-ZW	Identical to 1043PUA-ZB but with a white plastic cover.
1043TUA-WC	3 gang toggle switch grid plate with a white ceramic cover.
1043TUA-EA	Identical to 1043TUA-WC but with an ebony-coloured aluminium cover.
1043TUA-PT	Identical to 1043TUA-WC but with a platinum-coloured aluminium cover.
1043TUA-LB	Identical to 1043TUA-WC but with a living brass aluminium cover.
1044PUA-ZB	4 gang push button switch grid plate with a black plastic cover.
1044PUA-ZW	Identical to 1044PUA-ZB but with a white plastic cover.
1044TUA-WC	4 gang toggle switch grid plate with a white ceramic cover.
1044TUA-EA	Identical to 1044TUA-WC but with an ebony-coloured aluminium cover.
1044TUA-PT	Identical to 1044TUA-WC but with a platinum-coloured aluminium cover.
1044TUA-LB	Identical to 1044TUA-WC but with a living brass aluminium cover.

The WorkSafe NZ test report acceptance conditions outlined in NZ Gazette notices 2022-au3179 and 2022-au3180 have been verified.