

# Australia and New Zealand Certificate of Conformity/Approval

**Certificate**  
ULL-103394

**Issue date**  
2024-07-04

**Expiration date**  
2029-07-04



[www.jasanz.org/register](http://www.jasanz.org/register)

This is to acknowledge that

## **SCHNEIDER ELECTRIC AUSTRALIA PTY LTD**

33-37 PORT WAKEFIELD RD, GEPPS CROSS, South Australia 5094  
Australia

has had

### **Air-break switch**

[refer following page(s) for models list]

evaluated and meets the requirements of the standard(s)

### **AS 3133:2020+A1; AS/NZS 3100:2022+A1**

Certificate of Conformity issued under Queensland Government's  
Recognised External Certification Scheme (RECS)

Certificate of Approval issued under NSW Government's Recognised  
External Approval Scheme (REAS)

ANZ Certification Scheme requirements.



Stuart Foster (Certification Officer)

Certification Body:

UL International New Zealand Limited,  
54 Tarndale Grove, Albany, Auckland 0632, New Zealand.

Issued for use in Australia and New Zealand only.

All dates are in Year-Month-Day format (YYYY-MM-DD).

# Australia and New Zealand Certificate of Conformity/Approval

**Certificate No:** ULL-103394

**Date of Issue/Revision:** 2024-07-04

**Trade Name or Trademark:** PDL: PDL380M20DP, PDL: PDLPP380M20DP,  
CLIPSAL: 40MD20, CLIPSAL: 40MD20COOK, CLIPSAL: P30MD,  
CLIPSAL: P40MD20

**Risk Class / NSW Declared Class:** LEVEL 3 - Wall Switch

**Certification Marking:** The RCM mark must be applied to the product and all the requirements of all relevant parts of AS/NZS 4417 applicable to the article shall be fulfilled

The product approval mark ULL-103394-EA shall be placed on declared articles offered for sale in New South Wales and New Zealand

**Additional Certification Conditions:** None.

## Model Details:

Model	Rating	Description
40MD20	230/240Vac, 20AX M100	Iconic series, single-way double pole switch with a gloss finished rocker dolly.
PDL380M20DP	230/240Vac, 20AX M100	Iconic series, single-way double pole switch with a gloss finished rocker dolly.
40MD20COOK	230/240Vac, 20AX M100	Identical to 40MD20, except it has a matt finished rocker dolly marked "COOKER".
P40MD20	230/240Vac, 20AX M100	Pro series, identical to 40MD20, except it has two pro series rocker dollies to be fit into the pro series grid and cover.
PDLP380M20DP	230/240Vac, 20AX M100	Pro series, identical to 40MD20, except it has two pro series rocker dollies to be fit into the pro series grid and cover.
P30MD	230/240Vac, 20AX M100	Prestige P2000 series – 40MD20 switch fitted with a large size Prestige P2000 rocker.

## Additional Information:

Clause 3.3.2 of AS 3133 states that switches evaluated to AS/NZS 60669.1 conform with the requirements of AS 3133.

The certified product is the combination of the switch unit and compatible parts (Iconic series, Iconic series Styl range, Iconic series Essence range and Pro series grid/cover, Solis adaptor/grid). Switch units may also be used IP66 rated 56 series enclosures 56M41 and 56M42.

### Solis switch adaptor models:

40PA-ZB	Push button switch adaptor with a black plastic actuator.
40PA-ZW	Push button switch adaptor with a white plastic actuator.
40TA-EA	Toggle switch adaptor with an ebony-coloured aluminium actuator.
40TA-LB	Toggle switch adaptor with a living brass actuator.
40TA-PT	Toggle switch adaptor with a platinum-coloured aluminium actuator.
40TA-WC	Toggle switch adaptor with a white ceramic actuator.

### Solis grid plate with cover models:

1041PUA-ZB	1 gang push button switch grid plate with a black plastic cover.
1041PUA-ZW	Identical to 1041PUA-ZB but with a white plastic cover.
1041TUA-WC	1 gang toggle switch grid plate with a white ceramic cover.
1041TUA-EA	Identical to 1041TUA-WC but with an ebony-coloured aluminium cover.
1041TUA-PT	Identical to 1041TUA-WC but with a platinum-coloured aluminium cover.
1041TUA-LB	Identical to 1041TUA-WC but with a living brass aluminium cover.
1042PUA-ZB	2 gang push button switch grid plate with a black plastic cover.
1042PUA-ZW	Identical to 1042PUA-ZB but with a white plastic cover.
1042TUA-WC	2 gang toggle switch grid plate with a white ceramic cover.



# Australia and New Zealand Certificate of Conformity/Approval

**Certificate No:** ULL-103394

**Date of Issue/Revision:** 2024-07-04

1042TUA-EA	Identical to 1042UA-WC but with an ebony-coloured aluminium cover.
1042TUA-PT	Identical to 1042TUA-WC but with a platinum-coloured aluminium cover.
1042TUA-LB	Identical to 1042TUA-WC but with a living brass aluminium cover.
1043PUA-ZB	3 gang push button switch grid plate with a black plastic cover.
1043PUA-ZW	Identical to 1043PUA-ZB but with a white plastic cover.
1043TUA-WC	3 gang toggle switch grid plate with a white ceramic cover.
1043TUA-EA	Identical to 1043UA-WC but with an ebony-coloured aluminium cover.
1043TUA-PT	Identical to 1043TUA-WC but with a platinum-coloured aluminium cover.
1043TUA-LB	Identical to 1043TUA-WC but with a living brass aluminium cover.
1044PUA-ZB	4 gang push button switch grid plate with a black plastic cover.
1044PUA-ZW	Identical to 1044PUA-ZB but with a white plastic cover.
1044TUA-WC	4 gang toggle switch grid plate with a white ceramic cover.
1044TUA-EA	Identical to 1044UA-WC but with an ebony-coloured aluminium cover.
1044TUA-PT	Identical to 1044TUA-WC but with a platinum-coloured aluminium cover.
1044TUA-LB	Identical to 1044TUA-WC but with a living brass aluminium cover.

The WorkSafe NZ test report acceptance conditions outlined in NZ Gazette notices 2022-au3179 and 2022-au3180 have been verified.