

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Certificate number and Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Certificate number and/or RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

| | | | |
|--|--|---|-------------------------------------|
| Company Name | Schneider Electric (Australia) Pty Ltd | | |
| Address | 33-37 Port Wakefield Road Gepps Cross SA 5094 Australia | | |
| Client ID | 102093 | Global-Mark File Number: | 102093-305 System 1 Approval |
| Certification and Authorized Mark Number | GMA-510602 | Revision Number | 00 |
| Certification Standard(s) | AS/NZS 3123:2005 including A1 Approval and test specification - Plugs, socket-outlets and couplers for general industrial application | | |
| Type of Certification | Electrical Safety Product Scheme | Global-Mark Electrical Product Safety Certification Scheme | |

CERTIFICATE DATES

| | |
|------------------------------|------------------|
| Certificate Issue Date | 6/08/2021 |
| Certificate Last Update Date | |
| Certification Expiry Date | 6/08/2026 |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

| CERTIFIED ELECTRICAL EQUIPMENT | | | | |
|--------------------------------|---------------------------------------|------------|--------------|-----------------------------|
| Declared Article | Product Description | Trade Name | Model Number | Rating |
| Non declared | 3 Round Pins | Clipsal | 56P320 | 250V a.c., 20A , 50Hz, IP66 |
| Non declared | 3 Round Pins QCT | Clipsal | 56P320QC | 250V a.c., 20A , 50Hz, IP66 |
| Non declared | 4 Round Pins | Clipsal | 56P410 | 500V a.c., 10A , 50Hz, IP66 |
| Non declared | 4 Round Pins QCT | Clipsal | 56P410QC | 500V a.c., 10A , 50Hz, IP66 |
| Non declared | 4 Round Pins Unique Key Configuration | Clipsal | 56P416K | 500V a.c., 16A , 50Hz, IP66 |
| Non declared | 4 Round Pins | Clipsal | 56P420 | 500V a.c., 20A , 50Hz, IP66 |
| Non declared | 4 Round Pins QCT | Clipsal | 56P420QC | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 5 Round Pins | Clipsal | 56P510 | 500V a.c., 10A, 50Hz, IP66 |
| Non declared | 5 Round Pins | Clipsal | 56P520 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 5 Round Pins QCT | Clipsal | 56P520QC | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 6 Round Pins | Clipsal | 56P610 | 500V a.c., 10A, 50Hz, IP66 |
| Non declared | 7 Round Pins | Clipsal | 56P710 | 500V a.c., 10A, 50Hz, IP66 |
| Non declared | 7 Round Pins | Clipsal | 56P720 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 3 Round Pins | Clipsal | 56PA320 | 250V a.c., 20A, 50Hz, IP66 |
| Non declared | 4 Round Pins | Clipsal | 56PA410 | 500V a.c., 10A, 50Hz, IP66 |
| Non declared | 4 Round Pins Unique Key Configuration | Clipsal | 56PA416K | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 4 Round Pins | Clipsal | 56PA420 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 4 Round Pins QCT | Clipsal | 56PA420QC | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 5 Round Pins | Clipsal | 56PA510 | 500V a.c., 10A, 50Hz, IP66 |
| Non declared | 5 Round Pins | Clipsal | 56PA520 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 6 Round Pins | Clipsal | 56PA610 | 500V a.c., 10A, 50Hz, IP66 |
| Non declared | 7 Round Pins | Clipsal | 56PA710 | 500V a.c., 10A, 50Hz, IP66 |
| Non declared | 7 Round Pins | Clipsal | 56PA720 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 3 Round Pins | PDL | 56P320 | 250V a.c., 20A, 50Hz, IP66 |
| Non declared | 3 Round Pins QCT | PDL | 56P320QC | 250V a.c., 20A, 50Hz, IP66 |
| Non declared | 4 Round Pins | PDL | 56P416 | 500V a.c., 16A, 50Hz, IP66 |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




Certificate of Suitability

| | | | | |
|--------------|---------------------------------------|-----|-----------|----------------------------|
| Non declared | 4 Round Pins Unique Key Configuration | PDL | 56P416K | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 4 Round Pins QCT | PDL | 56P416QC | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 4 Round Pins | PDL | 56P420 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 4 Round Pins QCT | PDL | 56P420QC | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 5 Round Pins | PDL | 56P516 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 5 Round Pins QCT | PDL | 56P516QC | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 5 Round Pins | PDL | 56P520 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 5 Round Pins QCT | PDL | 56P520QC | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 6 Round Pins | PDL | 56P616 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 7 Round Pins | PDL | 56P716 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 7 Round Pins | PDL | 56P720 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 3 Round Pins | PDL | 56PA320 | 250V a.c., 20A, 50Hz, IP66 |
| Non declared | 3 Round Pins QCT | PDL | 56PA320QC | 250V a.c., 20A, 50Hz, IP66 |
| Non declared | 4 Round Pins | PDL | 56PA416 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 4 Round Pins Unique Key Configuration | PDL | 56PA416K | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 4 Round Pins QCT | PDL | 56PA416QC | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 4 Round Pins | PDL | 56PA420 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 4 Round Pins QCT | PDL | 56PA420QC | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 5 Round Pins | PDL | 56PA516 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 5 Round Pins QCT | PDL | 56PA516QC | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 5 Round Pins | PDL | 56PA520 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 5 Round Pins QCT | PDL | 56PA520QC | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 6 Round Pins | PDL | 56PA616 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 7 Round Pins | PDL | 56PA716 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 7 Round Pins | PDL | 56PA720 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 3 Round Pins | PDL | 56PAV320 | 250V a.c., 20A, 50Hz, IP66 |
| Non declared | 4 Round Pins | PDL | 56PAV416 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 4 Round Pins Unique Key Configuration | PDL | 56PAV416K | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 4 Round Pins | PDL | 56PAV420 | 500V a.c., 20A, 50Hz, IP66 |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

| | | | | |
|--------------|---------------------------------------|--------------------|-----------|----------------------------|
| Non declared | 5 Round Pins | PDL | 56PAV516 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 5 Round Pins | PDL | 56PAV520 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 7 Round Pins | PDL | 56PAV716 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 7 Round Pins | PDL | 56PAV720 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 3 Round Pins | PDL | 56PV320 | 250V a.c., 20A, 50Hz, IP66 |
| Non declared | 4 Round Pins | PDL | 56PV416 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 4 Round Pins | PDL | 56PV420 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 5 Round Pins | PDL | 56PV516 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 5 Round Pins | PDL | 56PV520 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 7 Round Pins | PDL | 56PV716 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 7 Round Pins | PDL | 56PV720 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 3 Round Pins | Schneider Electric | 56P320 | 250V a.c., 20A, 50Hz, IP66 |
| Non declared | 4 Round Pins | Schneider Electric | 56P416 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 4 Round Pins | Schneider Electric | 56P420 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 5 Round Pins | Schneider Electric | 56P516 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 5 Round Pins | Schneider Electric | 56P520 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 3 Round Pins | Schneider Electric | 56PA316RP | 250V a.c., 16A, 50Hz, IP66 |
| Non declared | 3 Round Pins | Schneider Electric | 56PA320 | 250V a.c., 20A, 50Hz, IP66 |
| Non declared | 4 Round Pins | Schneider Electric | 56PA416 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 4 Round Pins Unique Key Configuration | Schneider Electric | 56PA416K | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 4 Round Pins | Schneider Electric | 56PA420 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 5 Round Pins | Schneider Electric | 56PA516 | 500V a.c., 16A, 50Hz, IP66 |
| Non declared | 5 Round Pins | Schneider Electric | 56PA520 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 3 Round Pins | Schneider Electric | EY56P320 | 250V a.c., 20A, 50Hz, IP66 |
| Non declared | 4 Round Pins | Schneider Electric | EY56P410 | 500V a.c., 10A, 50Hz, IP66 |
| Non declared | 4 Round Pins | Schneider Electric | EY56P420 | 500V a.c., 20A, 50Hz, IP66 |
| Non declared | 5 Round Pins | Schneider Electric | EY56P510 | 500V a.c., 10A, 50Hz, IP66 |
| Non declared | 5 Round Pins | Schneider Electric | EY56P520 | 500V a.c., 20A, 50Hz, IP66 |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager





Certificate of Suitability

| RELEVANT TRADEMARK (S) |
|------------------------|
| |

| COMMENTS OR CONDITIONS ON THE CERTIFICATION |
|---|
| Nil |

End of document



This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

