


Product End of Life Instructions

TeSys F series 3P contactor, AC1 2100A, 230V, 50/60Hz

TeSys F



End of Life Instructions



| Recommendation | Number on drawing | Component / Material | Weight (in g) | Comment |
|------------------|-------------------|--|---------------|----------------------------------|
| To be depolluted | 1 | Electronic Board (Communication) > 10cm ² | 58.9 | PCB LX1FK042 A 100V |
| To be depolluted | 2 | BOITIER ARRIERE DE BOBINE | 22.2 | Plastic parts with brominated FR |
| To be depolluted | 3 | SUPPORT AUXIL.F400 TESYS | 89.3 | Plastic parts with brominated FR |
| To be depolluted | 4 | CLIQ.RETENUE FK/L RAL5000 | 10.6 | Plastic parts with brominated FR |

Product description

| | |
|---------------------------------------|--|
| Manufacturer identification | Schneider Electric Industries SAS |
| Brand name | Schneider Electric |
| Product function | The main purpose of the product is to switch on and off electrical power supply of a downstream installation with an electrical and/or mechanical control. |
| Product reference | LC1F2100P7 |
| Additional similar product references | TeSys F Contactor: LC1F1000; LC1F1250; LC1F1400; LC1F1700; LC1F2100; LC1F2600; LC1F3200 |
| Total representative product mass | 28217 g |
| Representative product dimensions | 332mm x 438mm x 238.6mm |
| Accessories | no |
| Date of information release | 05-2024 |

Additional information

| | | |
|---|--|--|
| Legal information | This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product. | |
| In case of special transportation: transportation method | no | |
| Recyclability potential | 84% | Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO' DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability). |

Schneider Electric Industries SAS
 Country Customer Care Center
<http://www.se.com/contact>
 35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

ENVEOLI1102006_V3

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

05-2024