

# Product End-of-Life Instructions


## Phaseo

### Product Range

☐ / ☐ Converter module

### Marketing Model

ABL8 DCC05060, ABL8 DCC12020



### Size in mm:

H x L x D: 127 x 143 x 44

### Weight (excluding packaging) in g:

474.2 for ABL8 DCC05060

465.8 for ABL8 DCC12020




## Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy :

**Reuse** ⇒ **Separation for special treatment** ⇒ **Other dismantling** ⇒ **Shredding**

The components of the products that optimize the recycling performances are listed, identified and located hereunder.

These products contain below printed circuit boards (PCBs), which are recommended to be treated separately during the End of Life operations.



Recommendation	Number on drawing	Components	Weight (g)	Comment
Operating hazards	None	None	–	–
Reuse	None	None	–	–
Special treatment	①	PCBAs	200.66 – 209.06	–
Other dismantling	②	Plastic / Polycarbonate	15.6	–
	③	Aluminium	130.8	–
	④	Steel	115.9	–
	None	Cables and Connectors	–	–

### Schneider Electric Industries SAS

35, rue Joseph Monier  
CS30323  
F - 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439  
Capital social 896 313 776 €  
www.schneider-electric.com

The version of the Guide used to create the document: End of Life Instruction Drafting Guide of Schneider Electric version V2.

Publication : Schneider Electric