Product End of Life Instructions

EVlink Pro DC

Potential disassembly risks

⚠ WARNING

HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

Failure to follow these instructions can result in death or serious injury.

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm²	344.1	PCBA 1
To be depolluted	2	Electronic Board (Communication) > 10cm²	280.50974	PCBA 2
To be depolluted	3	Electronic Board (Communication) > 10cm²	243.87	PCBA 3
To be depolluted	4	Electronic Board (Communication) > 10cm²	228.5	PCBA 4
To be depolluted	5	Electronic Board (Communication) > 10cm²	83.998	PCBA 5
To be depolluted	6	Electronic Board (Communication) > 10cm²	60	PCBA 6
To be depolluted	7	Electronic Board (Communication) > 10cm²	60	PCBA 7
To be depolluted	8	Electronic Board (Communication) > 10cm²	49.90594	PCBA 8
To be depolluted	9	Electronic Board (Communication) > 10cm²	31	PCBA 9
To be depolluted	10	Electronic Board (Communication) > 10cm²	27.33459	PCBA 10
To be depolluted	11	Electronic Board (Communication) > 10cm²	19.16	PCBA 11

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The EVlink Pro DC 320kW/180kW charging station is designed as one new generation charging station for electric vehicle . Its function unit is to allow the full charging of an electric vehicle within 1hr
Product reference	EVD2S320TBB-IEC
Additional similar product references	EVD2S320TBB-IEC EVD2S240TBB-IEC EVD2S180TBB-IEC EVD2S150TBB-IEC EVD2S120TBB-IEC EVD2S320TBBC7-IEC EVD2S240TBBC7-IEC EVD2S180TBBC7-IEC EVD2S150TBBC7-IEC EVD2S120TBBC7-IEC
Total representative product mass	610000 g
Representative product dimensions	800mm x 750mm x 2050mm
Accessories	Charging station gun cable
Date of information release	2025/5/12

Additional information

Legal information		This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
Recyclability potential	**80%**	The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center
http://www.se.com/contact
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com
Published by Schneider Electric
ENVEOLI2505042_V1
© 2023 - Schneider Electric – All rights reserved
05-2025