# Product End of Life Instructions

## Smoke Alarm 230V, 10yrs Lithium battery

## Clipsal - Smoke Alarms

# Potential disassembly risks

**⚠ WARNING**

**HAZARD OF ARC FLASH OR FIRE**

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

**Failure to follow these instructions can result in death or serious injury.**

# End of Life Instructions




| Recommendation | Number on drawing | Component / Material | Weight (in g) | Comment |
|---|---|---|---|---|
| To be depolluted | 1 | Electronic Board (Communication) > 10cm² | 59 | Including all soldering parts |
| To be dismantled | 2 | Battary | 24 | |

# Product description

| | |
|---|---|
| **Manufacturer identification** | Schneider Electric Industries SAS |
| **Brand name** | Schneider Electric |
| **Product function** | The main function of a smoke alarm is to trigger an alarm when a large amount of smoke is detected, thus alerting people to take steps to prevent a fire from occurring or spreading. |
| **Product reference** | 755PSMA5L |
| **Additional similar product references** | 755PSMA5 |
| **Total representative product mass** | 282 g |
| **Representative product dimensions** | Ø140mm x 44.5mm |
| **Accessories** | No |
| **Date of information release** | 11/26/2025 |

# Additional information

| | | |
|---|---|---|
| **Legal information** | This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product. | |
| **In case of special transportation: transportation method** | No | |
| **Recyclability potential** | **6%** | The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability). |

*Schneider Electric Industries SAS*
*Country Customer Care Center*
*http://www.se.com/contact*
*35, rue Joseph Monier*
*CS 30323*
*F- 92500 Rueil Malmaison Cedex*
*RCS Nanterre 954 503 439*
*Capital social 928 298 512 €*

www.se.com
Published by Schneider Electric
ENVEOLI2511032_V1
© 2023 - Schneider Electric – All rights reserved
11/26/2025