

# Product Environmental Profile

Regenerative unit, Altivar, 7,5kW, for Altivar variable speed drive




## General information

Reference product	Regenerative unit, Altivar, 7,5kW, for Altivar variable speed drive - ATVRU75N4
Description of the product	The main function of the ATV Regen product is to provide an option to regenerate energy back to the AC supply.
Description of the range	Single product
Functional unit	To provide energy back to the AC supply. Its rated power is equal to 7,5kW. Its protection index is IP20. This regen unit is compatible with ATV320, ATV340 and ATV900 drives ranges from 0 to 7,5 kW in a standard environment.
Specifications are:	Rated supply voltage: 380...500 V Rated operational voltage: 456...778 V DC Network number of phases: 3 phases

## Constituent materials

Reference product mass	7,8 kg including the product, its packaging, additional elements and accessories
------------------------	--



Plastics	1,40%
Metals	69,75%
Others	28,85%

## Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website  
<https://www.se.com/ww/en/work/support/green-premium/>

## Additional environmental information

End Of Life	Recyclability potential:	91%	The recyclability rate was calculated from the recycling rates of each material making up the product with the exception of data using the ESR database. For materials or components using the ESR database or the absence of data the conservative hypothesis "0% recyclability" was used.
-------------	--------------------------	-----	---


**Environmental impacts**

Reference service life time	10 years			
Product category	Other equipments - Active product			
Installation elements	The product does not require any installation operations.			
Use scenario	The product is in active phase 40% of the time with a power use of 346 W and in stand-by phase 60% of the time with a power use of 12 W , for 10 years. Drive efficiency according to IEC/EN 61800-9-2 (supersedes EN 50598-2).			
Time representativeness	The collected data are representative of the year 2024			
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and representative of the actual type of technologies used to make the product.			
Geographical representativeness	Europe			
Energy model used	[A1 - A3]	[A5]	[B6]	[C1 - C4]
	Electricity Mix; High voltage; 2018; Indonesia, ID	Electricity Mix; low voltage; 2018; Europe, EU-27	Electricity Mix; low voltage; 2018; Europe, EU-27	Electricity Mix; low voltage; 2018; Europe, EU-27

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - <http://www.schneider-electric.com/contact>

Mandatory Indicators		Regenerative unit, Altivar, 7,5kW, for Altivar variable speed drive - ATV75N4						
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to climate change	kg CO2 eq	5,31E+03	6,47E+01	1,52E+00	1,97E+00	5,23E+03	1,60E+01	-1,50E+01
Contribution to climate change-fossil	kg CO2 eq	5,30E+03	6,40E+01	1,52E+00	1,82E+00	5,22E+03	1,59E+01	-1,49E+01
Contribution to climate change-biogenic	kg CO2 eq	7,95E+00	7,04E-01	0*	1,45E-01	6,97E+00	1,30E-01	-1,06E-01
Contribution to climate change-land use and land use change	kg CO2 eq	3,86E-06	1,34E-06	0*	0*	0*	2,52E-06	0,00E+00
Contribution to ozone depletion	kg CFC-11 eq	2,82E-05	5,74E-06	0*	2,45E-08	2,24E-05	8,42E-08	-2,20E-06
Contribution to acidification	mol H+ eq	3,05E+01	5,97E-01	9,65E-03	5,45E-03	2,98E+01	6,40E-02	-9,13E-02
Contribution to eutrophication, freshwater	kg (PO4) <sup>3-</sup> eq	1,93E-02	7,85E-04	0*	4,53E-05	1,43E-02	4,13E-03	-2,78E-05
Contribution to eutrophication marine	kg N eq	3,52E+00	1,13E-01	4,52E-03	2,37E-03	3,39E+00	1,23E-02	-8,09E-03
Contribution to eutrophication, terrestrial	mol N eq	5,24E+01	1,23E+00	4,96E-02	1,66E-02	5,09E+01	1,38E-01	-9,49E-02
Contribution to photochemical ozone formation - human health	kg COVNM eq	1,13E+01	3,56E-01	1,25E-02	3,80E-03	1,09E+01	4,39E-02	-3,32E-02
Contribution to resource use, minerals and metals	kg Sb eq	5,28E-03	4,77E-03	0*	0*	3,79E-04	1,31E-04	-3,45E-03
Contribution to resource use, fossils	MJ	1,36E+05	1,79E+03	2,12E+01	1,83E+01	1,33E+05	9,53E+02	-3,06E+02
Contribution to water use	m3 eq	2,23E+02	2,98E+01	0*	1,66E-01	1,85E+02	8,31E+00	-5,29E+00

Inventory flows Indicators		Regenerative unit, Altivar, 7,5kW, for Altivar variable speed drive - ATVRU75N4						
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	2,56E+04	1,78E+01	0*	0*	2,56E+04	3,18E+00	-6,02E+00
Contribution to use of renewable primary energy resources used as raw material	MJ	6,54E+00	6,54E+00	0*	0*	0*	0*	5,51E+00
Contribution to total use of renewable primary energy resources	MJ	2,56E+04	2,44E+01	0*	0*	2,56E+04	3,18E+00	-5,12E-01
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1,36E+05	1,77E+03	2,12E+01	1,83E+01	1,33E+05	9,53E+02	-3,05E+02
Contribution to use of non renewable primary energy resources used as raw material	MJ	1,18E+01	1,18E+01	0*	0*	0*	0*	-4,07E-01
Contribution to total use of non-renewable primary energy resources	MJ	1,36E+05	1,79E+03	2,12E+01	1,83E+01	1,33E+05	9,53E+02	-3,06E+02
Contribution to use of secondary material	kg	1,98E+00	1,98E+00	0*	0*	0*	0*	0,00E+00
Contribution to use of renewable secondary fuels	MJ	0,00E+00	0*	0*	0*	0*	0*	0,00E+00
Contribution to use of non renewable secondary fuels	MJ	0,00E+00	0*	0*	0*	0*	0*	0,00E+00
Contribution to net use of freshwater	m³	5,20E+00	6,95E-01	0*	3,87E-03	4,31E+00	1,93E-01	-1,23E-01
Contribution to hazardous waste disposed	kg	2,47E+02	1,49E+02	0*	4,59E-02	9,77E+01	4,36E-01	-2,73E+02
Contribution to non hazardous waste disposed	kg	7,72E+02	1,83E+01	0*	8,82E-01	7,52E+02	1,86E-01	-1,59E+01
Contribution to radioactive waste disposed	kg	1,74E-01	1,62E-02	3,81E-05	9,89E-05	1,57E-01	4,57E-05	-9,69E-03
Contribution to components for reuse	kg	0,00E+00	0*	0*	0*	0*	0*	0,00E+00
Contribution to materials for recycling	kg	6,20E+00	7,94E-01	0*	8,65E-03	0*	5,40E+00	0,00E+00
Contribution to materials for energy recovery	kg	6,00E-09	6,00E-09	0*	0*	0*	0*	0,00E+00
Contribution to exported energy	MJ	1,05E-01	7,99E-03	0*	7,52E-02	0*	2,20E-02	0,00E+00

\* represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product	kg de C	0,00E+00	According to					
Contribution to biogenic carbon content of the associated packaging	kg de C	4,83E-01	ADEME - EN 16485 - APESA/RECORD					


Mandatory Indicators		Regenerative unit, Altivar, 7,5kW, for Altivar variable speed drive - ATVRU75N4							
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to climate change	kg CO2 eq	5,23E+03	0*	0*	0*	0*	0*	5,23E+03	0*
Contribution to climate change-fossil	kg CO2 eq	5,22E+03	0*	0*	0*	0*	0*	5,22E+03	0*
Contribution to climate change-biogenic	kg CO2 eq	6,97E+00	0*	0*	0*	0*	0*	6,97E+00	0*
Contribution to climate change-land use and land use change	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to ozone depletion	kg CFC-11 eq	2,24E-05	0*	0*	0*	0*	0*	2,24E-05	0*
Contribution to acidification	mol H+ eq	2,98E+01	0*	0*	0*	0*	0*	2,98E+01	0*
Contribution to eutrophication, freshwater	kg (PO4)³⁻ eq	1,43E-02	0*	0*	0*	0*	0*	1,43E-02	0*
Contribution to eutrophication marine	kg N eq	3,39E+00	0*	0*	0*	0*	0*	3,39E+00	0*
Contribution to eutrophication, terrestrial	mol N eq	5,09E+01	0*	0*	0*	0*	0*	5,09E+01	0*
Contribution to photochemical ozone formation - human health	kg COVNM eq	1,09E+01	0*	0*	0*	0*	0*	1,09E+01	0*
Contribution to resource use, minerals and metals	kg Sb eq	3,79E-04	0*	0*	0*	0*	0*	3,79E-04	0*
Contribution to resource use, fossils	MJ	1,33E+05	0*	0*	0*	0*	0*	1,33E+05	0*
Contribution to water use	m3 eq	1,85E+02	0*	0*	0*	0*	0*	1,85E+02	0*

Inventory flows Indicators		Regenerative unit, Altivar, 7,5kW, for Altivar variable speed drive - ATV75N4							
Inventory flows	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	2,56E+04	0*	0*	0*	0*	0*	2,56E+04	0*
Contribution to use of renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of renewable primary energy resources	MJ	2,56E+04	0*	0*	0*	0*	0*	2,56E+04	0*
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1,33E+05	0*	0*	0*	0*	0*	1,33E+05	0*
Contribution to use of non renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of non-renewable primary energy resources	MJ	1,33E+05	0*	0*	0*	0*	0*	1,33E+05	0*
Contribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to net use of freshwater	m <sup>3</sup>	4,31E+00	0*	0*	0*	0*	0*	4,31E+00	0*
Contribution to hazardous waste disposed	kg	9,77E+01	0*	0*	0*	0*	0*	9,77E+01	0*
Contribution to non hazardous waste disposed	kg	7,52E+02	0*	0*	0*	0*	0*	7,52E+02	0*
Contribution to radioactive waste disposed	kg	1,57E-01	0*	0*	0*	0*	0*	1,57E-01	0*
Contribution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*

\* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.1, database version 2023-02 in compliance with ISO14044, EF 3.0 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	SCHN-01227-V01.01-EN	Drafting rules	PCR-4-ed4-EN-2021 09 06
		Supplemented by	PSR-0005-ed3.1-EN-2023 12 08
Verifier accreditation N°	VH08	Information and reference documents	<a href="http://www.pep-ecopassport.org">www.pep-ecopassport.org</a>
Date of issue	06-2024	Validity period	5 years
Independent verification of the declaration and data, in compliance with ISO 14025 : 2006			
Internal		External X	
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)			
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022			
The components of the present PEP may not be compared with components from any other program.			
Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations"			
			

Schneider Electric Industries SAS

Country Customer Care Center  
<http://www.se.com/contact>

Head Office  
35, rue Joseph Monier  
CS 30323  
F- 92500 Rueil Malmaison Cedex  
RCS Nanterre 954 503 439  
Capital social 928 298 512 €

[www.se.com](http://www.se.com)

SCHN-01227-V01.01-EN

Published by Schneider Electric

©2024 - Schneider Electric – All rights reserved

06-2024