


# Product Environmental Profile

## Resi9 COMB BUSBAR WITH ACCESSORIES




## General information

Reference product	Resi9 COMB BUSBAR WITH ACCESSORIES - R9XPN115N
Description of the product	Comb busbar is used to deliver power to the accessories which are on the same row of the distribution board.
Functional unit	Busbar system is used for collecting electric power from the incoming feeders and distributes them to the outgoing feeders or to the assembled accessories with operating current (Ie) 100A with the dimension of 34mm x 275mm x 22mm in accordance with IEC 61439-1 Standard.

## Constituent materials

Reference product mass	357 g including the product, its packaging and additional elements and accessories
------------------------	--



Plastics	30.6%
Metals	40.4%
Others	29.0%

## Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website <https://www.se.com/ww/en/work/support/green-premium/>

## Additional environmental information

End Of Life	Recyclability potential:	57%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).
-------------	--------------------------	-----	---

## Environmental impacts

Reference service life time	20 years			
Product category	Other equipments - Passive product - continuous operation			
Installation elements	The disposal of the packaging materials is accounted during the installation phase (including transport to disposal).			
Use scenario	Load rate: 50% of Rated current (In) 100A Use time rate: 100% of the time over 20 years			
Technological representativeness	The Modules of Technologies such as material production, manufacturing process and transport technology used in this PEP analysis (LCA-EIME in this case) are Similar and representative of the actual type of technologies used to make the product in production.			
Geographical representativeness	New Zealand			
Energy model used	[A1 - A3]	[A5]	[B6]	[C1 - C4]
	Electricity Mix; Production mix; Low voltage; AUS	Electricity mix; AC; consumption mix, at consumer; 230V; NZ	Electricity mix; AC; consumption mix, at consumer; 230V; NZ	Electricity mix; AC; consumption mix, at consumer; 230V; NZ

Mandatory Indicators			Resi9 COMB BUSBAR WITH ACCESSORIES - R9XPN115N					
Impact indicators	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life	Benefits
			[A1 - A3]	[A4]	[A5]	[B1 - B7]	[C1 - C4]	[D]
Contribution to climate change	kg CO2 eq	3.16E+01	1.59E+00	1.03E-01	1.85E-01	2.91E+01	6.35E-01	-4.81E-01
Contribution to climate change-fossil	kg CO2 eq	3.15E+01	1.55E+00	1.03E-01	1.77E-01	2.91E+01	6.12E-01	-4.58E-01
Contribution to climate change-biogenic	kg CO2 eq	6.98E-02	3.89E-02	0*	8.20E-03	0*	2.27E-02	-2.30E-02
Contribution to climate change-land use and land use change	kg CO2 eq	4.02E-07	2.17E-10	0*	2.36E-08	0*	3.78E-07	0.00E+00
Contribution to ozone depletion	kg CFC-11 eq	5.26E-07	1.27E-07	9.08E-08	1.23E-08	2.82E-07	1.38E-08	-9.66E-08
Contribution to acidification	mol H+ eq	1.40E-01	2.78E-02	4.47E-04	7.35E-04	1.08E-01	3.38E-03	-1.96E-02
Contribution to eutrophication, freshwater	kg (PO4) <sup>3-</sup> eq	8.48E-04	4.09E-05	0*	1.44E-06	5.91E-07	8.05E-04	-1.69E-06
Contribution to eutrophication marine	kg N eq	1.77E-02	1.65E-03	2.06E-04	1.95E-04	1.51E-02	5.26E-04	-4.58E-04
Contribution to eutrophication, terrestrial	mol N eq	1.95E-01	1.79E-02	2.23E-03	1.48E-03	1.66E-01	6.57E-03	-5.00E-03
Contribution to photochemical ozone formation - human health	kg COVNM eq	6.58E-02	6.63E-03	7.30E-04	3.95E-04	5.64E-02	1.60E-03	-2.63E-03
Contribution to resource use, minerals and metals	kg Sb eq	2.31E-04	2.07E-04	0*	0*	1.44E-06	2.27E-05	-1.84E-04
Contribution to resource use, fossils	MJ	2.31E+02	1.87E+01	1.25E+00	1.92E+00	2.00E+02	9.18E+00	-7.96E+00
Contribution to water use	m3 eq	2.65E+00	1.10E+00	5.22E-03	8.47E-02	8.10E-01	6.51E-01	-9.79E-01

Inventory flows Indicators			Resi9 COMB BUSBAR WITH ACCESSORIES - R9XPN115N					
Inventory flows	Unit	Total	Manufact.	Distribution	Installation	Use	End of Life	Benefits
			[A1 - A3]	[A4]	[A5]	[B1 - B7]	[C1 - C4]	[D]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	3.59E+02	4.01E-01	0*	1.42E-01	3.58E+02	5.45E-01	-5.12E-02
Contribution to use of renewable primary energy resources used as raw material	MJ	7.41E-01	7.41E-01	0*	0*	0*	0*	-6.80E-01
Contribution to total use of renewable primary energy resources	MJ	3.60E+02	1.14E+00	0*	1.42E-01	3.58E+02	5.45E-01	-7.32E-01
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	2.28E+02	1.51E+01	1.25E+00	1.92E+00	2.00E+02	9.18E+00	-7.77E+00

Contribution to use of non renewable primary energy resources used as raw material	MJ	3.53E+00	3.53E+00	0*	0*	0*	0*	-1.90E-01
Contribution to total use of non-renewable primary energy resources	MJ	2.31E+02	1.87E+01	1.25E+00	1.92E+00	2.00E+02	9.18E+00	-7.96E+00
Contribution to use of secondary material	kg	7.04E-02	7.04E-02	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of freshwater	m³	6.17E-02	2.56E-02	1.22E-04	1.97E-03	1.89E-02	1.52E-02	-2.28E-02
Contribution to hazardous waste disposed	kg	1.92E+01	1.85E+01	0*	2.18E-03	5.11E-01	2.52E-01	-1.64E+01
Contribution to non hazardous waste disposed	kg	5.01E+00	1.60E+00	0*	5.98E-01	2.69E+00	1.14E-01	-1.19E+00
Contribution to radioactive waste disposed	kg	6.96E-04	3.86E-04	2.05E-05	8.05E-05	2.03E-04	5.34E-06	-1.31E-04
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	2.58E-01	1.25E-02	0*	1.05E-01	0*	1.41E-01	0.00E+00
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to biogenic carbon content of the product	kg de C	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to biogenic carbon content of the associated packaging	kg de C	0.00E+00	0*	0*	0*	0*	0*	0.00E+00

\* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version 5.9.4, database version 2022-01 in compliance with ISO14044.

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	ENVPEP2210014_V1	Drafting rules	PEP-PCR-ed4-2021 09 06
Validity period	5 years	Supplemented by	PSR-0005-ed2-2016 03 29
Date of issue	09/2023	Information and reference documents	<a href="http://www.pep-ecopassport.org">www.pep-ecopassport.org</a>
Independent verification of the declaration and data, in compliance with ISO 14021 : 2016			
Internal	X	External	
The PCR review was conducted by a panel of experts chaired by Julie ORGELET (DDemain) PEP are compliant with XP C08-100-1 :2016 or EN 50693:2019 The elements of the present PEP cannot be compared with elements from another program. Document in compliance with ISO 14021 : 2016 « Environmental labels and declarations. Type II environmental declarations »			

Schneider Electric Industries SAS  
Country Customer Care Center  
<http://www.schneider-electric.com/contact>  
35, rue Joseph Monier  
CS 30323  
F- 92500 Rueil Malmaison Cedex  
RCS Nanterre 954 503 439  
Capital social 928 298 512 €

[www.se.com](http://www.se.com)

ENVPEP2210014\_V1

Published by Schneider Electric

©2023 - Schneider Electric – All rights reserved

09/2023