

Product Environmental Profile

SINGLE SWITCH WITH COVER FRAME




General information

Reference product	10AX 1Way Single Switch, WE with Cover Frame 2M / 1Gang, WE - MLC101SWSN_WE + MLCCF2M_WE
Description of the product	The main function of a MILUZ-C switch is to make it easy to open or close the electrical circuit, turning the flow of electricity on or off.
Description of the range	Single product
Functional unit	Establish, support and interrupt the rated current I and rated voltage U, and, if applicable, the specific specifications, for a wall-mounted or enclosure / cabinet installation, according to the appropriate use scenario, and for the reference service life of the product of 20 years.
Specifications are:	Rated Current [In] - 10 A Rated Voltage [U] - 250 V Degree of protection against external mechanical impacts in accordance with the standard IEC 62262 - IK04 Degree of protection against ingress of solid foreign objects and water with harmful effects in accordance with the standard IEC 60529 - IP20

Constituent materials

Reference product mass	61.606 g including the product, its packaging and additional elements and accessories
------------------------	---



Plastics	62.3%
Metals	20.0%
Others	17.7%

Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website

<https://www.se.com/ww/en/work/support/green-premium/>

Additional environmental information

End Of Life	Recyclability potential:	24%	The recyclability rate was calculated from the recycling rates of each material making up the product with the exception of data using the ESR database. For materials or components using the ESR database or the absence of data the conservative hypothesis "0% recyclability" was used.
-------------	--------------------------	------------	---


Environmental impacts

Reference service life time	20 years			
Product category	Switches - Wall-mounted			
Installation elements	No special components needed			
Use scenario	Load rate = 10% I Use rate = 30% RLT			
Time representativeness	The collected data are representative of the year 2023			
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and representative of the actual type of technologies used to make the product.			
Geographical representativeness	Rest of the World			
Energy model used	[A1 - A3]	[A5]	[B6]	[C1 - C4]
	Electricity Mix; High voltage; 2018; Turkey, TR	Electricity Mix; Low voltage; 2018; Morocco, MA	Electricity Mix; Low voltage; 2018; Morocco, MA	Electricity Mix; Low voltage; 2018; Morocco, MA

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - <http://www.schneider-electric.com/contact>

Mandatory Indicators		SINGLE SWITCH WITH COVER FRAME - MLC101SWSN_WE + MLCCF2M_WE						
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to climate change	kg CO2 eq	6.60E-01	3.71E-01	1.28E-02	1.20E-03	1.39E-01	1.36E-01	-3.44E-02
Contribution to climate change-fossil	kg CO2 eq	6.49E-01	3.61E-01	1.28E-02	1.20E-03	1.38E-01	1.36E-01	-3.57E-02
Contribution to climate change-biogenic	kg CO2 eq	1.05E-02	1.04E-02	0*	0*	4.67E-05	2.39E-05	1.34E-03
Contribution to climate change-land use and land use change	kg CO2 eq	5.87E-05	5.87E-05	0*	0*	0*	0*	0.00E+00
Contribution to ozone depletion	kg CFC-11 eq	1.03E-07	9.08E-08	1.14E-08	1.56E-11	7.10E-10	1.09E-10	-7.77E-09
Contribution to acidification	mol H+ eq	2.73E-03	1.50E-03	5.78E-05	5.23E-06	9.74E-04	1.95E-04	-2.33E-04
Contribution to eutrophication, freshwater	kg (PO4) ³⁻ eq	3.62E-06	2.82E-06	1.51E-09	1.88E-09	1.44E-09	7.94E-07	1.04E-07
Contribution to eutrophication marine	kg N eq	5.38E-04	3.48E-04	2.67E-05	2.44E-06	1.06E-04	5.48E-05	-8.25E-06
Contribution to eutrophication, terrestrial	mol N eq	5.88E-03	3.79E-03	2.90E-04	2.51E-05	1.15E-03	6.21E-04	-1.60E-04
Contribution to photochemical ozone formation - human health	kg COVNM eq	1.95E-03	1.32E-03	9.40E-05	5.98E-06	3.54E-04	1.77E-04	-7.26E-05
Contribution to resource use, minerals and metals	kg Sb eq	5.24E-05	5.24E-05	0*	0*	0*	2.59E-08	-1.39E-05
Contribution to resource use, fossils	MJ	1.32E+01	8.29E+00	1.60E-01	4.55E-03	2.12E+00	2.66E+00	-8.87E-01
Contribution to water use	m3 eq	8.11E-02	5.21E-02	6.53E-04	9.69E-04	5.68E-03	2.17E-02	-1.77E-02

Inventory flows Indicators		SINGLE SWITCH WITH COVER FRAME - MLC101SWSN_WE + MLCCF2M_WE						
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	6.48E-01	3.89E-01	0*	0*	2.57E-01	1.38E-03	-4.84E-02
Contribution to use of renewable primary energy resources used as raw material	MJ	3.21E-03	3.21E-03	0*	0*	0*	0*	1.73E-01
Contribution to total use of renewable primary energy resources	MJ	6.51E-01	3.93E-01	0*	0*	2.57E-01	1.38E-03	1.25E-01
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1.18E+01	6.88E+00	1.60E-01	4.55E-03	2.12E+00	2.66E+00	-8.87E-01
Contribution to use of non renewable primary energy resources used as raw material	MJ	1.41E+00	1.41E+00	0*	0*	0*	0*	0.00E+00
Contribution to total use of non-renewable primary energy resources	MJ	1.32E+01	8.29E+00	1.60E-01	4.55E-03	2.12E+00	2.66E+00	-8.87E-01
Contribution to use of secondary material	kg	1.11E-02	1.11E-02	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00

Contribution to net use of freshwater	m³	2.58E-03	1.90E-03	1.52E-05	2.26E-05	1.32E-04	5.06E-04	-4.13E-04
Contribution to hazardous waste disposed	kg	9.97E-01	9.93E-01	0*	0*	3.84E-03	0*	-1.09E+00
Contribution to non hazardous waste disposed	kg	3.44E-01	2.71E-01	0*	1.01E-02	2.28E-02	4.10E-02	-2.82E-02
Contribution to radioactive waste disposed	kg	1.79E-04	1.73E-04	2.56E-06	0*	1.58E-06	1.59E-06	-1.27E-05
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	1.38E-02	1.81E-03	0*	0*	0*	1.20E-02	0.00E+00
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	1.37E-04	1.90E-05	0*	0*	0*	1.18E-04	0.00E+00

* represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product	kg de C	0.00E+00
Contribution to biogenic carbon content of the associated packaging	kg de C	2.76E-03

Mandatory Indicators		SINGLE SWITCH WITH COVER FRAME - MLC101SWSN_WE + MLCCF2M_WE							
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to climate change	kg CO2 eq	1.39E-01	0*	0*	0*	0*	0*	1.39E-01	0*
Contribution to climate change-fossil	kg CO2 eq	1.38E-01	0*	0*	0*	0*	0*	1.38E-01	0*
Contribution to climate change-biogenic	kg CO2 eq	4.67E-05	0*	0*	0*	0*	0*	4.67E-05	0*
Contribution to climate change-land use and land use change	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to ozone depletion	kg CFC-11 eq	7.10E-10	0*	0*	0*	0*	0*	7.10E-10	0*
Contribution to acidification	mol H+ eq	9.74E-04	0*	0*	0*	0*	0*	9.74E-04	0*
Contribution to eutrophication, freshwater	kg (PO4) ³⁻ eq	1.44E-09	0*	0*	0*	0*	0*	1.44E-09	0*
Contribution to eutrophication marine	kg N eq	1.06E-04	0*	0*	0*	0*	0*	1.06E-04	0*
Contribution to eutrophication, terrestrial	mol N eq	1.15E-03	0*	0*	0*	0*	0*	1.15E-03	0*
Contribution to photochemical ozone formation - human health	kg COVNM eq	3.54E-04	0*	0*	0*	0*	0*	3.54E-04	0*
Contribution to resource use, minerals and metals	kg Sb eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to resource use, fossils	MJ	2.12E+00	0*	0*	0*	0*	0*	2.12E+00	0*
Contribution to water use	m3 eq	5.68E-03	0*	0*	0*	0*	0*	5.68E-03	0*

Inventory flows Indicators		SINGLE SWITCH WITH COVER FRAME - MLC101SWSN_WE + MLCCF2M_WE							
Inventory flows	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	2.57E-01	0*	0*	0*	0*	0*	2.57E-01	0*
Contribution to use of renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of renewable primary energy resources	MJ	2.57E-01	0*	0*	0*	0*	0*	2.57E-01	0*
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	2.12E+00	0*	0*	0*	0*	0*	2.12E+00	0*
Contribution to use of non renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of non-renewable primary energy resources	MJ	2.12E+00	0*	0*	0*	0*	0*	2.12E+00	0*
Contribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to net use of freshwater	m³	1.32E-04	0*	0*	0*	0*	0*	1.32E-04	0*
Contribution to hazardous waste disposed	kg	3.84E-03	0*	0*	0*	0*	0*	3.84E-03	0*

Contribution to non hazardous waste disposed	kg	2.28E-02	0*	0*	0*	0*	0*	2.28E-02	0*
Contribution to radioactive waste disposed	kg	1.58E-06	0*	0*	0*	0*	0*	1.58E-06	0*
Contribution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*

* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.1, database version 2023-02 in compliance with ISO14044, EF 3.0 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	SCHN-01202-V01.01-EN	Drafting rules	PCR-4-ed4-EN-2021 09 06
		Supplemented by	PSR-0005-ed3.1-EN-2023 12 08
Verifier accreditation N°	0	Information and reference documents	www.pep-ecopassport.org
Date of issue	06-2024	Validity period	5 years
Independent verification of the declaration and data, in compliance with ISO 14025 : 2006			
Internal External X			
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)			
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022			
The components of the present PEP may not be compared with components from any other program.			
Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations"			



Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
 CS 30323

F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

SCHN-01202-V01.01-EN

Published by Schneider Electric

©2024 - Schneider Electric – All rights reserved

06-2024