

Product Environmental Profile

Kit enclosure, EVlink Pro AC Metal, for 2 floor-standing charging stations




General information

Reference product	Kit enclosure, EVlink Pro AC Metal, for 2 floor-standing charging stations - EVA1RFKS2
Description of the product	This product is a enclosure accessory kit to provide mounting and protection function for Evlink Pro AC floor-standing charging stations.
Description of the range	Single product
Functional unit	This product provide the mounting and protection function for EV AC charging stations, made of electro galvanised C4M steel and in accordance with the following prameter in 10 years lifetime: -Protection degree -Size
Specifications are:	Technical Prameter: - Protection degree:IP65 IK10 -H x L x D :1360mm x 390mm x 355mm

Constituent materials

Reference product mass 77000 g including the product, its packaging and additional elements and accessories



Plastics	0.10%
Metals	70.30%
Others	29.60%

Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website
<https://www.se.com/vw/en/work/support/green-premium/>

Additional environmental information

End Of Life	Recyclability potential:	98%	The recyclability rate was calculated from the recycling rates of each material making up the product with the exception of data using the ESR database. For materials or components using the ESR database or the absence of data the conservative hypothesis "0% recyclability" was used.
--------------------	--------------------------	------------	---

Environmental impacts

Reference service life time	10 years		
Product category	Other equipments - Passive product - non-continuous operation		
Installation elements	The screws needed during the installation stage are included in BOM		
Use scenario	This is a mental kit,so no energy consumption during use stage		
Time representativeness	The collected data are representative of the year 2023		
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and représentaive of the actual type of technologies used to make the product.		
Geographical representativeness	Rest of the World		
Energy model used	[A1 - A3]	[A5]	[B6]
	Electricity Mix; Low voltage; 2018; Italy, IT	Electricity Mix; Low voltage; 2018; Europe, EU-27 Electricity Mix; Low voltage; 2018; Asia Pacific, APAC	Electricity Mix; Low voltage; 2018; Europe, EU-27 Electricity Mix; Low voltage; 2018; Asia Pacific, APAC
	[C1 - C4]		
	Electricity Mix; Low voltage; 2018; Europe, EU-27 Electricity Mix; Low voltage; 2018; Asia Pacific, APAC		

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - <http://www.schneider-electric.com/contact>

Mandatory Indicators		Kit enclosure, EVlink Pro AC Metal, for 2 floor-standing charging stations - EVA1RFKS2							
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads	
Contribution to climate change	kg CO2 eq	6.82E+02	3.86E+02	1.19E+02	2.66E+01	0*	1.51E+02	-2.00E+02	
Contribution to climate change-fossil	kg CO2 eq	6.54E+02	3.83E+02	1.19E+02	9.92E-01	0*	1.51E+02	-1.99E+02	
Contribution to climate change-biogenic	kg CO2 eq	2.84E+01	2.77E+00	0*	2.56E+01	0*	3.36E-02	-4.63E-01	
Contribution to climate change-land use and land use change	kg CO2 eq	6.55E-07	1.83E-08	0*	0*	0*	6.37E-07	0.00E+00	
Contribution to ozone depletion	kg CFC-11 eq	1.40E-04	3.54E-05	1.04E-04	4.27E-08	0*	3.78E-08	-3.04E-05	
Contribution to acidification	mol H+ eq	3.20E+00	2.16E+00	4.87E-01	9.73E-03	0*	5.41E-01	-1.20E+00	
Contribution to eutrophication, freshwater	kg (PO4) ³⁻ eq	1.60E-03	3.84E-04	1.38E-05	1.37E-06	0*	1.20E-03	-3.11E-04	
Contribution to eutrophication marine	kg N eq	7.83E-01	4.44E-01	2.22E-01	3.50E-03	0*	1.14E-01	-1.15E-01	
Contribution to eutrophication, terrestrial	mol N eq	8.48E+00	4.79E+00	2.41E+00	4.27E-02	0*	1.24E+00	-1.34E+00	
Contribution to photochemical ozone formation - human health	kg NMVOC eq	2.72E+00	1.49E+00	8.02E-01	9.18E-03	0*	4.21E-01	-4.69E-01	
Contribution to resource use, minerals and metals	kg Sb eq	4.71E-03	4.67E-03	0*	0*	0*	3.96E-05	-6.16E-02	
Contribution to resource use, fossils	MJ	3.12E+04	1.90E+04	1.47E+03	1.46E+01	0*	1.08E+04	-4.51E+03	
Contribution to water use	m3 eq	1.87E+02	1.22E+02	5.99E+00	3.40E+00	0*	5.58E+01	-8.36E+01	

Inventory flows Indicators		Kit enclosure, EVlink Pro AC Metal, for 2 floor-standing charging stations - EVA1RFKS2						
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	4.32E+01	4.19E+01	9.61E-03	2.52E-01	0*	1.06E+00	-3.62E+01
Contribution to use of renewable primary energy resources used as raw material	MJ	3.93E+02	3.93E+02	0*	0*	0*	0*	0.00E+00
Contribution to total use of renewable primary energy resources	MJ	4.36E+02	4.35E+02	0*	2.52E-01	0*	1.06E+00	-3.62E+01
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	3.12E+04	1.90E+04	1.47E+03	1.46E+01	0*	1.08E+04	-4.51E+03
Contribution to use of non renewable primary energy resources used as raw material	MJ	1.23E+01	1.23E+01	0*	0*	0*	0*	0.00E+00
Contribution to total use of non-renewable primary energy resources	MJ	3.12E+04	1.90E+04	1.47E+03	1.46E+01	0*	1.08E+04	-4.51E+03
Contribution to use of secondary material	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of freshwater	m³	4.35E+00	2.84E+00	1.40E-01	7.92E-02	0*	1.30E+00	-1.95E+00
Contribution to hazardous waste disposed	kg	7.81E+01	7.80E+01	9.79E-02	0*	0*	0*	-4.86E+03
Contribution to non hazardous waste disposed	kg	2.72E+02	2.48E+02	1.20E-01	2.26E+01	0*	1.55E+00	-1.58E+02
Contribution to radioactive waste disposed	kg	9.18E-02	6.75E-02	2.35E-02	5.60E-04	0*	3.25E-04	-7.12E-02
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	5.89E+01	8.01E+00	0*	0*	0*	5.09E+01	0.00E+00
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	2.05E+00	1.54E+00	0*	0*	0*	5.03E-01	0.00E+00

* represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product	kg of C	0.00E+00
Contribution to biogenic carbon content of the associated packaging	kg of C	7.93E+00

Mandatory Indicators		Kit enclosure, EVlink Pro AC Metal, for 2 floor-standing charging stations - EVA1RFKS2							
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to climate change	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to climate change-fossil	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to climate change-biogenic	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to climate change-land use and land use change	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to ozone depletion	kg CFC-11 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to acidification	mol H+ eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to eutrophication, freshwater	kg (PO4) ³⁻ eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to eutrophication marine	kg N eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to eutrophication, terrestrial	mol N eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to photochemical ozone formation - human health	kg NMVOC eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to resource use, minerals and metals	kg Sb eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to resource use, fossils	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to water use	m3 eq	0*	0*	0*	0*	0*	0*	0*	0*

Inventory flows Indicators		Kit enclosure, EVlink Pro AC Metal, for 2 floor-standing charging stations - EVA1RFKS2								
Inventory flows	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]	
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to total use of renewable primary energy resources	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of non renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to total use of non-renewable primary energy resources	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to net use of freshwater	m³	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to hazardous waste disposed	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to non hazardous waste disposed	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to radioactive waste disposed	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*	

* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.1, database version 2023-02 in compliance with ISO14044, EF 3.0 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	ENVPEP2408009_V1	Drafting rules	PCR-4-ed4-EN-2021 09 06
Date of issue	08-2024	Supplemented by	PSR-0005-ed3.1-EN-2023 12 08
		Information and reference documents	www.pep-ecopassport.org
		Validity period	5 years
Independent verification of the declaration and data, in compliance with ISO 14021 : 2016			
Internal	X	External	
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)			
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022			
The components of the present PEP may not be compared with components from any other program.			
Document complies with ISO 14021:2016 "Environmental labels and declarations. Type II environmental declarations"			

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

ENVPEP2408009_V1

Published by Schneider Electric

©2024 - Schneider Electric – All rights reserved

08-2024