Product iQ®

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at https://www.ul.com/about/locations.

Power Circuit and Motor-mounted Apparatus

COMPANY
Schneider Electric / DBA Telemecanique
Zone Industrielle
Bp 660
L Isle D Espagnac, 16340 France

E345759

View model for additional information

Model(s): *ABLS1A48050XX* XX can be 00 - 99 or blank, it will have no any impact to product construction, function or safety aspect

Model(s): *ABLU3A24050XX* Where XX can be =00-99 or blank, without impact to product construction, function, or safety/EMC aspect.

Model(s): *ABLU3A24100XX* Where XX can be =00-99 or blank, without impact to product construction, function, or safety/EMC aspect.

Model(s): *ABLU3A24200XX* Where XX can be =00-99 or blank, without impact to product construction, function, or safety/EMC aspect.

Model(s): *ABLU3A24400XX* Where XX can be =00-99 or blank, without impact to product construction, function, or safety/EMC aspect.

Model(s): *ABLU3A48100XX* Where XX can be =00-99 or blank, without impact to product construction, function, or safety/EMC aspect.

Model(s): *ABLU3A48200XX* Where XX can be =00-99 or blank, without impact to product construction, function, or safety/EMC aspect.

DC-DC Power Supplies, Model(s): *ABL8 followed by BBU24200, BBU24400, BUF24400, DCC05060, DCC12020, or RED24400*

Open type linear power supplies, Model(s): *ABL8FEQ24005*, *ABL8FEQ24010*, *ABL8FEQ24020*, *ABL8FEQ24040*, *ABL8FEQ24060*, *ABL8FEQ24100*, *ABL8FEQ24150*, *ABL8FEQ24200*, *ABL8TEQ24100*, *ABL8TEQ24200*, *ABL8TEQ24300*, *ABL8TEQ24400*, *ABL8TEQ24600*

Power Supply Protection Module, Model(s): *ABL8 PRP24100*

Switching power supplies, Model(s): *ABLP1A12085XX* Where XX can be 00 - 99 or blank, it will have any impact to product construction, function or safety aspect.

Switching power supplies, Model(s): *ABLP1A24045XX* Where XX can be 00 - 99 or blank, it will have any impact to product construction, function or safety aspect.

Switching power supplies, Model(s): *ABLP1A24062XX* – Where XX can be 00 - 99 or blank, it will have no any impact to product construction, function or safety aspect.

Switching power supplies, Model(s): *ABLP1A24062XX* Where XX can be 00 - 99 or blank, it will have any impact to product construction, function or safety aspect.

Switching power supplies, Model(s): *ABLP1A24100XX* Where XX can be 00 - 99 or blank, it will have any impact to product construction, function or safety aspect.

Switching power supplies, Model(s): *ABLS1A12062XX* Where XX can be 00 - 99 or blank, it will have any impact to product construction, function or safety aspect.

Switching power supplies, Model(s): *ABLS1A12100XX* Where XX can be 00 - 99 or blank, it will have any impact to product construction, function or safety aspect.

Switching power supplies, Model(s): *ABLS1A24031XX* Where XX can be 00 - 99 or blank, it will have any impact to product construction, function or safety aspect.

Switching power supplies, Model(s): *ABLS1A24050XX* Where XX can be 00 - 99 or blank, it will have any impact to product construction, function or safety aspect.

Switching power supplies, Model(s): *ABLS1A24100XX* Where XX can be 00 - 99 or blank, it will have any impact to product construction, function or safety aspect.

Switching power supplies, Model(s): *ABLS1A24200XX* Where XX can be 00 - 99 or blank, it will have any impact to product construction, function or safety aspect.

Switching power supplies, Model(s): *ABLS1A48025XX* Where XX can be 00 - 99 or blank, it will have any impact to product construction, function or safety aspect.

Switching power supplies, Model(s): *ABLS1A48100XX* Where XX can be 00 - 99 or blank, it will have no any impact to product construction, function or safety aspect.

Switching Power Supplies, Model(s): *ABLS1A24021XX* Where XX can be 00-99 or blank, it will have no impact to product construction, function or safety aspect.

Switching Power Supplies, Model(s): *ABLS1A24038XX* Where XX can be 00-99 or blank, it will have no impact to product construction, function or safety aspect.

Switching Power Supply, Model(s): *ABL8 RPM24200*, *ABL8 RPS24030*, *ABL8 RPS24050*, *ABL8 RPS24100*, *ABL8 WPS24200*, *ABL8 WPS24400*

Switching Power Supply, Model(s): *ABLM1A05036XX* Where XX can be 00 - 99 or blank, it will have no any impact to product construction, function or safety aspect.

Switching Power Supply, Model(s): *ABLM1A12010XX* Where XX can be 00 - 99 or blank, it will have no any impact to product construction, function or safety aspect.

Switching Power Supply, Model(s): *ABLM1A12021XX* Where XX can be 00 - 99 or blank, it will have no any impact to product construction, function or safety aspect.

Switching Power Supply, Model(s): *ABLM1A12042XX* Where XX can be 00 - 99 or blank, it will have no any impact to product construction, function or safety aspect.

Switching Power Supply, Model(s): *ABLM1A24004XX* Where XX can be 00 - 99 or blank, it will have no any impact to product construction, function or safety aspect.

Switching Power Supply, Model(s): *ABLM1A24006XX* Where XX can be 00 - 99 or blank, it will have no any impact to product construction, function or safety aspect.

Switching Power Supply, Model(s): *ABLM1A24012XX* Where XX can be 00 - 99 or blank, it will have no any impact to product construction, function or safety aspect.

Switching Power Supply, Model(s): *ABLM1A24025XX* Where XX can be 00 - 99 or blank, it will have no any impact to product construction, function or safety aspect.

[a] - Where XX can be 00-99 or blank, it will have no impact to product construction, function or safety aspect.
Note - All models may be followed by additional suffixes which do not affect the construction.

Last Updated on 2026-06-15

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."