

# Product Environmental Profile

## SM25 COVER SURFACE




## General information

Reference product	SM25 COVER SURFACE - SM25
Description of the product	This product is a solid metal cover used to surround and protect critical components.
Functional unit	Protects conduits, electrical cables, communication cables, raceways used for electric power distribution and communication against external damage with the following dimension of 25mm x 1200mm x 25mm for the reference life time of 20 years.

## Constituent materials

Reference product mass	2073 g	including the product, its packaging and additional elements and accessories
------------------------	--------	--



Plastics	0.7%
Metals	94.9%
Others	4.4%

## Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website <https://www.se.com/ww/en/work/support/green-premium/>

## Additional environmental information

End Of Life	Recyclability potential:	<b>98%</b>	Recyclability rate has been calculated based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).
-------------	--------------------------	------------	--

## Environmental impacts

Reference service life time	20 years		
Product category	Unequipped enclosures and cabinets		
Installation elements	The disposal of the packaging materials are accounted for during the installation phase (including transport to disposal).		
Use scenario	Non applicable for unequipped enclosures and cabinets		
Technological representativeness	The Modules of Technologies such as material production, manufacturing process and transport technology used in this PEP analysis (LCA-EIME in this case) are Similar and representative of the actual type of technologies used to make the product in production.		
Geographical representativeness	Australia		
Energy model used	[A1 - A3]	[A5]	[B6]
	Electricity Mix; Production mix; Low voltage; CN	Electricity Mix; Production mix; Low voltage; AUS	Electricity Mix; Production mix; Low voltage; AUS
			[C1 - C4]
			Electricity Mix; Production mix; Low voltage; AUS

Mandatory Indicators		SM25 COVER SURFACE - SM25						
Impact indicators	Unit	Total	Manufacturing [A1 - A3]	Distribution [A4]	Installation [A5]	Use [B1 - B7]	End of Life [C1 - C4]	Benefits [D]
Contribution to climate change	kg CO2 eq	1.60E+01	9.83E+00	5.98E-01	1.02E-01	0*	5.43E+00	-7.50E+00
Contribution to climate change-fossil	kg CO2 eq	1.59E+01	9.78E+00	5.98E-01	1.38E-01	0*	5.43E+00	-7.49E+00
Contribution to climate change-biogenic	kg CO2 eq	1.63E-02	5.26E-02	0*	0*	0*	0*	-1.62E-02
Contribution to climate change-land use and land use change	kg CO2 eq	7.62E-08	0*	0*	7.62E-08	0*	0*	0.00E+00
Contribution to ozone depletion	kg CFC-11 eq	1.82E-06	1.28E-06	5.27E-07	3.47E-09	0*	1.45E-08	-1.10E-06
Contribution to acidification	mol H+ eq	1.04E-01	8.24E-02	2.60E-03	2.37E-04	0*	1.87E-02	-4.41E-02
Contribution to eutrophication, freshwater	kg (PO4) <sup>3-</sup> eq	1.71E-05	1.51E-05	7.00E-08	1.06E-06	0*	9.34E-07	-1.13E-05
Contribution to eutrophication marine	kg N eq	1.68E-02	1.22E-02	1.19E-03	7.28E-05	0*	3.34E-03	-4.31E-03
Contribution to eutrophication, terrestrial	mol N eq	1.87E-01	1.37E-01	1.29E-02	6.22E-04	0*	3.65E-02	-5.03E-02
Contribution to photochemical ozone formation - human health	kg COVNM eq	5.85E-02	4.07E-02	4.24E-03	1.88E-04	0*	1.34E-02	-1.76E-02
Contribution to resource use, minerals and metals	kg Sb eq	2.65E-03	2.65E-03	0*	0*	0*	0*	-2.35E-03
Contribution to resource use, fossils	MJ	6.24E+02	2.12E+02	7.26E+00	5.29E-01	0*	4.04E+02	-1.72E+02
Contribution to water use	m3 eq	5.97E+00	3.81E+00	3.03E-02	3.91E-02	0*	2.09E+00	-3.10E+00

Inventory flows Indicators		SM25 COVER SURFACE - SM25						
Inventory flows	Unit	Total	Manufact. [A1 - A3]	Distribution [A4]	Installation [A5]	Use [B1 - B7]	End of Life [C1 - C4]	Benefits [D]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	2.50E+00	2.16E+00	0*	3.33E-01	0*	3.19E-03	-1.36E+00
Contribution to use of renewable primary energy resources used as raw material	MJ	1.90E+00	1.90E+00	0*	0*	0*	0*	-7.42E-03
Contribution to total use of renewable primary energy resources	MJ	4.40E+00	4.06E+00	0*	3.33E-01	0*	3.19E-03	-1.36E+00
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	6.23E+02	2.12E+02	7.26E+00	5.29E-01	0*	4.04E+02	-1.72E+02
Contribution to use of non renewable primary energy resources used as raw material	MJ	7.16E-01	7.16E-01	0*	0*	0*	0*	-3.09E-03
Contribution to total use of non-renewable primary energy resources	MJ	6.24E+02	2.12E+02	7.26E+00	5.29E-01	0*	4.04E+02	-1.72E+02
Contribution to use of secondary material	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00

Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of freshwater	m³	1.39E-01	8.88E-02	7.06E-04	9.09E-04	0*	4.86E-02	-7.21E-02
Contribution to hazardous waste disposed	kg	2.11E+02	2.09E+02	0*	0*	0*	2.01E+00	-1.86E+02
Contribution to non hazardous waste disposed	kg	9.01E+00	8.80E+00	0*	1.94E-01	0*	8.76E-03	-6.07E+00
Contribution to radioactive waste disposed	kg	4.13E-03	3.97E-03	1.19E-04	2.14E-05	0*	1.34E-05	-2.73E-03
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	1.98E+00	0*	0*	5.67E-02	0*	1.92E+00	0.00E+00
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	4.69E-02	4.41E-03	0*	4.25E-02	0*	0*	0.00E+00
Contribution to biogenic carbon content of the product	kg de C	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to biogenic carbon content of the associated packaging	kg de C	0.00E+00	0*	0*	0*	0*	0*	0.00E+00

\* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version 5.9.4, database version 2022-01 in compliance with ISO14044.

Detailed results, including all the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format

- Country Customer Care Center - <http://www.schneider-electric.com/contact>

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	ENVPEP2307028_V1	Drafting rules	PEP-PCR-ed4-2021 09 06
Validity period	5 years	Supplemented by	PSR-0005-ed2-2016 03 29
Date of issue	09/2023	Information and reference documents	<a href="http://www.pep-ecopassport.org">www.pep-ecopassport.org</a>
Independent verification of the declaration and data, in compliance with ISO 14021 : 2016			
Internal	X	External	
The PCR review was conducted by a panel of experts chaired by Julie ORGELET (DDemain)			
PEP are compliant with XP C08-100-1 :2016 or EN 50693:2019			
The elements of the present PEP cannot be compared with elements from another program.			
Document in compliance with ISO 14021 : 2016 « Environmental labels and declarations. Type II environmental declarations »			

Schneider Electric Industries SAS  
 Country Customer Care Center  
<http://www.schneider-electric.com/contact>  
 35, rue Joseph Monier  
 CS 30323  
 F- 92500 Rueil Malmaison Cedex  
 RCS Nanterre 954 503 439  
 Capital social 928 298 512 €

[www.se.com](http://www.se.com)

ENVPEP2307028\_V1

Published by Schneider Electric

©2023 - Schneider Electric – All rights reserved

09/2023