


Product End of Life Instructions

Spacelogic Controller AS-B 36 Hand





End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Printed Circuit Board Assy	312,39	Including the connectors
To be depolluted	2	LCD module	7,7	
To be dismantled	3	Plastic parts (Cover+Base)	180,61	ABS+PC
To be dismantled	4	Plastic parts (Placard+Keypad)	4,31	PC,Silicone
To be dismantled	5	Plastic parts (Din rail clips)	4,06	ABS+PC

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	<p>AS-B controller is a powerful device with built-in power supply and I/O. AS-B can act as a standalone server using its built-in I/O and also monitor and manage field bus devices. In a small installation, the embedded AS-B device acts as a standalone server, mounted in a small footprint. In medium and large installations, functionality is distributed over multiple SmartStruxure server devices that communicate over TCP/IP.</p> <p>(This document describes the different stages of the product, from manufacturing to its end of life. For its end of life optimization, any dismantling or separation of parts required is carried out as mentioned in the EOLI document and in accordance with EU regulations, viz. WEEE)</p>
Product reference	SXWASB36H10001
Additional similar product references	SXWASB24H10001 SXWASB24HP10001 SXWASB24PX10001 SXWASB24X10001 SXWASB36HP10001 SXWASB36PX10001 SXWASB36X10001 SXWRSB24H10001
Total representative product mass	513,5 g
Representative product dimensions	110mm x 198mm x 64mm
Date of information release	09-12-2024

Additional information

Legal information

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Recyclability potential

0%

The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

ENVEOLI2412009_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

09-12-2024