限用物質含有情況標示聲明書

Declaration of the Presence Condition of the Restricted Substances Marking

證書號碼／受理編號：(No.) TA102341140156

Certificate No／Application No.

商品標籤及商品檢驗標識：(Picture)

Product Label and Commodity Inspection Mark.

樣張及其標示位置：(Description and Picture)

Sample and its location

設備名稱：無熔線斷路器

型號（型式）：iK60N 1P 60Hz 32AF 跳脫類型:C Curve 額定電流:C6 C10 C16 C20 C25 C32 額定工作電壓:AC110V Icn:6kA at 110V Ics:6kA at 110V

系列型號:詳附件

單元Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞Mercury (Hg)	鎘Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr^{+6})	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
外殼	O	O	O	O	O	O
ON/OFF 手把	O	O	O	O	O	O
電磁線圈	O	O	O	O	O	O
固定主接點	O	O	O	O	O	O
端子接點連接片	O	O	O	O	O	O
連動機構	O	O	O	O	O	O
軟銅帶	O	O	O	O	O	O
可動主接點	O	O	O	O	O	O
端子接點連接片（進線端）	O	O	O	O	O	O
消弧接點	O	O	O	O	O	O
消弧室	O	O	O	O	O	O

備考1.〝超出0.1 wt %〞及〝超出0.01 wt %〞係指限用物質之百分比含量超出百分比含量基準值。

Note 1：“Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考2.〝○〞係指該項限用物質之百分比含量未超出百分比含量基準值。

Note 2：“○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考3.〝－〞係指該項限用物質為排除項目。

Note 3：The “–” indicates that the restricted substance corresponds to the exemption.

茲切結保證所提供之商品限用物質含有情況標示內容係經執行測試作業或採適當之品質管理措施，並備置前述相關文件，確認正確無誤後提供貴局。並同意配合貴局執行後市場管理作業所需，依商品檢驗

法第49條之規定，於限期28個工作天內提供相關證明文件以供審查。

I hereby ensure that “the presence conditions of the restricted substance” provided above have been proved by testing or appropriate quality control measures, and make sure the relevant documents provided are correct and ready. Also, I agree to cooperate with BSMI, as the Article 49 of the Commodity Inspection Act stipulates, to provide the relevant documents, if needed, for verification within 28 working days when BSMI carries out the market surveillance activities.

此致 to

經濟部標準檢驗局 The Bureau of Standards, Metrology and Inspection

申請人：施耐德電機股份有限公司
Applicant

負責人：毛莉莉 (簽章)
Person in charge (Signature)

中華民國 108 年 07 月 29 日
DATE (year) (month) (day)

附表: 系列型號清單

1.iK60N 2P 60Hz 32AF 跳脫類型: C Curve 額定電流: C6 C10 C16 C20 C25 C32 額定工作電壓: AC220V Icn:6kA at 220V Ics:6kA at 220V
2. iK60N 3P 60Hz 32AF 跳脫類型: C Curve 額定電流: C6 C10 C16 C20 C25 C32 額定工作電壓: AC220V Icn:6kA at 220V Ics:6kA at 220V
-----以下空白-----